INDEX TO VOLUME XXIX.

[New generic, specific, and subspecific names are printed in **heavy-face** type.]

ABBOTT, Clinton G., review of his 'Home-Life of the Osprey,' 125.
Academy of Natural Sciences of Philadelphia, Centennary of, 282.
Acanthis, 409.
linaria, 113.
linaria linaria, 77, 111, 202.
Accipiter cooperi, 40, 80, 375, 470.
nisus teneriffæ, 425.
velox, 19, 43, 72, 80, 332, 477, 515.
Actitis macularia, 19, 31, 76, 80, 331, 469, 514.
Æchmophorus occidentalis, 42.
Ægialitis meloda, 72, 238.
semipalmata, 514.
Ægolius, 410.
Æstrelata, 410.
fisheri, 261.
hasitata, 511.
Africa, birds of, 121, 139, 261, 267, 270, 410, 421, 422, 423, 424, 426, 552.
Agelaius phœniceus, 28.
phœniceus fortis, 277.
phœniceus neutralis, 277, 333.
phœniceus phœniceus, 21, 82, 473, 519.
Aithurus, 257.
Aix sponsa, 39, 80, 512.
Ajaia ajaja, 42.
Alabama, birds of, 356.
Alaska, birds of, 118, 129, 242, 260.
Alberta, birds of, 400, 539.
Alca torda, 399.
Alcedo meninting proxima, 552.
Alcyone ramsayi, 271.
Alethe polioparea, 425.
uellensis, 425.
Algiers, birds of, 183–184.
Alle alle, 399.
Allen, Francis H., remarks on the case of Roosevelt *vs.* Thayer, with a few independent suggestions on the concealing coloration question, 489–507.
Allen, J. A., 'Matthew's Notes on Nomenclature,' 133–135; retirement as editor of 'The Auk,' 136.
Alseonax poensis, 424.
Aluco, 409.
pratincola, 31, 81, 517.
American Museum of Natural History, bird groups in, 281; Colombian Expedition of, 434, 572.
American Ornithologists' Union Committee on Nomenclature, province of, 431, 561, 565.
American Ornithologists' Union, Twenty-ninth stated meeting of, 92–99; Thirtieth stated meeting of (announcement), 435, 573.
Amizilis, 257.
chalconota, 257.
tzacatl, 257.
Ammodramus bairdi, 72.
savannarum australis, 41, 82, 474, 521.
savannarum bimaculatus, 253, 400.
Ammomanes deserti algeriensis, 555.
Ampelis, 410.
cedrorum, 37.
garrulus, 43.

Amphispiza nevadensis nevadensis, 335.
Anairetis parulus, 144.
Anas, 409.
aberti, 305.
diazi, 295–297, 306.
fulvigula, 297.
fulvigula maculosa, 297.
maculosa, 297.
obscura rubripes, 176–179.
platyrhynchos, 38, 511.
rubripes, 42, 234, 442, 511.
rubripes tristis, 19, 177–179.
superciliosa, 534.
tristis, 299.
wyvilliana, 301.
Andaman Islands, birds of the, 119.
Andrews, Roy C., notice of his expedition to Korea, 138.
Anhinga, 398.
'Annales des Sciences naturelles,' review of, 426.
Anser albifrons gambeli, 39, 201.
Anthony, A. W., eastern Oregon notes, 253.
Ant-thrushes, 144.
Anthus bogotensis, 144.
rubescens, 37, 144, 525.
spraguei, 72, 400.
Antrostomus carolinensis, 43.
cubanensis, 394.
vociferus, 32, 472, 518.
vociferus vociferus, 81, 376.
Apalis rufogularis kamerunensis, 424.
Aphelocoma californica californica, 549.
californica obscura, 549.
woodhousei, 333.
Aptenodytes chrysocome, 124.
patagonica halli, 124.
pennanti, 559.
'Aquila,' review of, 423.
Aquila chrysaëtos, 43, 254, 255, 332, 516.
Archæopteryx, 285.
Archibuteo lagopus sancti-johannis, 399.
Archilochus, 257, 472, 518.
colubris, 21, 32, 81, 376.
Architrochilus, 258.
Ardea, 423.
herodias, 39.
herodias herodias, 19, 331, 375, 477, 512.
Arizona, birds of, 363–368, 421.
Arkansas, birds of, 112, 259, 346.
Arnold, Edward, a short summer outing in Newfoundland, 1911, 72–79.
Arnold, W. W., bird enemies of the Chinese cotton scale, 113.
Arquatella maritima, 396.
Arremon aurantiirostris occidentalis, 268.
Arremonops rufivirgatus rufivirgatus, 255.
tocuyensis, 419.
Aru Islands, birds of the, 117.
Asio flammeus, 40, 110, 517.
wilsonianus, 40, 255, 477.
Astragalinus, 409.
psaltria psaltria, 333.
tristis, 29.
tristis pallidus, 333.
tristis tristis, 21, 82, 322, 377, 474, 520.
Astur atricapillus atricapillus, 76, 110, 515.
Asyndesmus lewisi, 332, 400.
Attagis chimborazensis, 148.
Atthis morcomi, 257.
Auk, Great, 208–209, 264, 573.
Razor-billed, 399.
Australia, birds of, 124, 266, 271, 411, 422, 423, 426, 549.
Automolus klagesi, 425.
watkinsi, 425.
'Avicultural Magazine,' review of, 272, 423, 555.
Avocet, 42, 72.

BÆOLOPHUS bicolor, 41, 84, 376, 477, 526.
wollweberi, 335.
Bahama Islands, birds of the, 123.
Bailey, H. B., notes on birds breeding in the mountains of Virginia, 79–84.
Bailey, S. Woldo, Red-headed Woodpecker at Newburyport, Mass., 541; mimicry in the song of the Catbird, 545.
Baldpate, 38, 511.
Bangs, Outram, a new subspecies of the Ruffed Grouse, 378–379.
Barbatula chrysocoma schubotzi, 424.
Barbour, Thomas, and J. C. Phillips, reply to their criticism of Thayer's 'Concealing Coloration,' 498–507.
Barrett, Harold, L., the Laughing Gull at Marshfield, Massachusetts, 99.
Barrows, Walter B., review of his 'Michigan Bird-life,' 547.
Bartramia longicauda, 31, 72, 254, 514.
Basilinna leucotis, 257.
Bates, G. L., review of his 'Further Notes on the Birds of Southern Camaroon,' 123.
Beal, F. E. L., see McAtee, W. L.
Beebe, C. William, notice of his 'New Blood Pheasants,' 552.
Beebe, C., William and Lee S. Crandall, review of their 'The Undescribed Juvenal Plumage of the Yucatan Jay,' 263.
Bent, Arthur C., review of his 'A New Subspecies of Ptarmigan from the Aleutian Islands' and 'Notes on Birds observed during a Visit to the Aleutian Islands and Bering Sea,' 260–261.
Bergtold, W. H., the Snowy Egret in New Mexico, 237; October birds of the headwaters of the Gila River, New Mexico, 327–336.
Berlepsch, Hans Graf von, review of his 'Revision of the Tanagers,' 268; review of his 'Birds of the Aru Islands,' 117.
Bermuda, birds of, 49–71.
Betts, Norman deW., notes from Boulder County, Colo., 399.
Bird-banding, 280–281, 571.
Bird-collecting, 136–137.
'Bird Lore,' review of, 270, 420, 554.
'Bird Notes,' review of, 423, 556.
Bishop, Louis B., birds in the markets of southern Europe, 179–190; an apparently unrecognized race of the Red-shouldered Hawk, 232–233.
Bittern, 19, 30, 75, 236, 477, 512.
Least, 30, 100, 399.
Blackbird, Brewer's, 41, 333.
Crow, 455.
Red-winged, 21, 28, 82, 412, 473, 519, (see also Redwing).
Rusty, 43, 77, 202, 211, 395, 520.
Yellow-headed, 41, 102, 103, 333.
Blackpoll, 211.
Blasius, Wilhelm, obituary of, 571.
Bluebill, 443.
Bluebird, 23, 30, 84, 317, 376, 477, 527.
Chestnut-backed, 336.
Mountain, 336.
Bobolink, 21, 43, 254, 277, 323, 325. 478, 519.
Bob-white, 28, 80, 376, 477, 514.
Bolles, Frank, notes on Whip-poor-wills and Owls, 150–159.
Bolt, Benj. F., capture of a Golden Eagle at Kansas City, Mo., 102.
Bombycilla, 410, (see also Ampelis).
cedrorum, 22, 83, 323, 373, 375, 400, 475, 523, (see also Ampelis).

Bombycilla garrula, 111, 204, 251, (see also Ampelis).
Bonasa umbellus **thayeri**, 378–379.
umbellus togata, 19, 324.
umbellus umbellus, 80, 371, 375, 469, 514.
Botaurus lentiginosus, 19, 30, 75, 236, 477, 512.
Boyle, Howarth S., early occurrence of the Saw-whet Owl, 239.
Brachypteryx goodfellowi, 555.
Brachyramphus marmoratus, 549.
Bradlee, Thomas S., Mockingbird Notes from Massachusetts, 249.
Bradypteris bedfordi, 555.
Bragg, L. M., notice of her supplement to the 'Birds of South Carolina,' 418.
Brant, 39.
Branta bernicla glaucogaster, 39.
canadensis, 39.
canadensis canadensis, 75, 391, 512.
canadensis hutchinsi, 39, 536.
canadensis occidentalis, 549.
Brewster, William, In Memoriam: Henry Augustus Purdie, 1–15; notes on the flight of Gulls, 85–92; foreword to Bolles' 'Notes on Whip-poor-wills and Owls,' 150–151.
Bridge, Lidian E., uncommon shore-birds seen in Essex county, Massachusetts, 537; another occurrence of the Blue-gray Gnatcatcher in Essex county, Massachusetts, 546.
Brimley, H. H., Brown Pelican in Pamlico Sound and at Durham, N. C., 531; Ocracoke water-bird notes, 538.
Brisson's genera of birds, 134.
'British Birds,' review of, 272, 422, 556.
British Columbia, birds of, 117, 252, 265, 396.
British Ornithologists' Union, annual meeting of, 573.
Brock, Henry H., recent occurrence of the Egret (*Herodias egretta*) near Portland, Maine, 236.
Brockway, Arthur W., Black Ducks which became very tame, 234; a Catbird spending the winter in Connecticut, 249.
Brooks, Allan, some British Colombia records, 252.
Brooks, Earle A., notes from West Virginia, 111–112.
Brooks, Winthrop Sprague, notes from the Magdalen Islands, 112; an additional specimen of the Labrador Duck, 389; late record of the Red-backed Sandpiper (*Pelidna alpina sakhalina*), 391; Laughing Gull in Plymouth county, Massachusetts, 531.
Brooks, Winthrop S., and Stanley Cobb, a correction, 400.
Brown, Edward J., rare Virginia birds, 399.
Brown, Nathan Clifford, many Purple Finches at Portland, Maine, in February, 245; a correction, 429; a third Blue-gray Gnatcatcher in Maine, 546.
Bruner, Stephen C. and Feild, Alexander L., notes on the birds observed on a trip through the mountains of western North Carolina, 368–377.
Bryan, William Alanson, the introduction and acclimatization of the Yellow Canary on Midway Island, 339–342; see also Dill, Homer R.
Bryant, Harold C., review of his 'The Relation of Birds to an Insect Outbreak in Northern California during the Spring and Summer of 1911, 416; review of his 'The Present and Future of

the California Valley Quail,' 551.
Bubo virginianus pallescens, 332.
virginianus virginianus, 81, 240, 471, 517.
Buffle-head, 39, 254, 444, 512.
'Bulletin of the British Ornithologists' Club,' review of, 271, 422, 555.
'Bulletin of the N. Y. Zoölogical Society,' review of, 559.
Bulweria bulweri, 412.
Bunting, Indigo, 33, 82, 111, 321, 377, 474, 522.
Bunting, Painted, 43, 247.
Bunting, Rustic, 384.
Bunting, Snow, 43, 111, (see also Snowflake).
Burns, Frank L., review of his 'Monograph of the Broad-winged Hawk,' 259–260.
Burr, Freeman F., note on the Bald Eagle and Osprey, 393.
Buteo borealis, 35.
borealis borealis, 19, 376, 470, 515.
borealis calurus, 332.
borealis krideri, 31.
lineatus, 40.
lineatus lineatus, 80, 375, 477, 516.
lineatus **texanus**, 232–233.
platypterus, 19, 72, 470, 516.
platypterus cubanensis, 260.
swainsoni, 35.
Butorides virescens, 30, 80.
virescens virescens, 377, 468, 513.

Cahn, Alvin R., the freezing of Cayuga Lake in its relation to bird life, 437–444.
Calamonastes simplex erlangeri, 425.
simplex hilgerti, 425.
Calcarius lapponicus. lapponicus, 111, 204, 246.
Calidris alba, 208.
California, birds of, 118, 137, 270, 416, 421, 548, 551.
Calliope, 385.
calliope, 261.
calliope calliope, 385.
calliope camtschatkensis, 385.
Callocalia fuciphaga amechana, 411.
fuciphaga mearnsi, 411.
fuciphaga tachyptera, 411.
Calophasis mikado, 555.
Calospiza gyroloides bangsi, 268.
gyroloides catharinae, 268.
Calyptophilus, 268.
Camaroptera superciliaris kamerunensis, 424.
Camptorhynchus labradorius, 389.
Campylorhamphus trochilirostris major, 257.
Canachites canadensis atratus, 385.
Canada, birds of, 129.
Canary, Yellow, 339–342.
Canutus, 409.
Canvas-back, 39, 108, 442, 448, 512.
Cardinal, 29, 82, 377, 395, 461, 478, 522.
Cardinalis cardinalis cardinalis, 29, 82, 377, 395, 478, 522.
Carduelis, 409.
Carpodacus mexicanus frontalis, 333.
mutans, 24, 336–338, 543.
purpureus purpureus, 21, 245, 322, 520.
'Cassinia,' review of, 268.
Catarractes, 124.
Catbird, 34, 83, 106, 249, 376, 476, 525, 545.
Catharista urubu, 80, 515.
Cathartes aura septentrionalis 31, 80, 332, 376, 470, 515.
Catherpes mexicanus conspersus, 335, 400.
Catoptrophorus semipalmatus inornatus, 40, 72, 537.
Centurus aurifrons, 241.
carolinus, 31, 81, 517.

Centurus uropygialis brewsteri, 386.
Cepphus grylle, 75.
Cerchneis naumanni turkestanicus, 426.
Certhia familiaris americana, 23, 37, 374, 375, 526.
familiaris buturlini, 426.
familiaris montana, 335.
Certhilauda kalahariæ, 555.
Ceryle alcyon, 20, 31, 76, 81, 376.
alcyon alcyon, 332, 382, 471, 517.
alcyon caurina, 265, 382.
americana isthmica, 261.
Chætura pelagica, 20, 32, 81, 323, 376, 472, 518.
Chansler, E. J., Mississippi and Swallow-tailed Kites in Knox Co., Ind., 239.
Chapman, Frank M., review of his 'Handbook of Birds of Eastern North America.' Revised Edition, 402; review of his 'Diagnosis of apparently New Colombian Birds,' 552; review of his 'A New Ibis from Mt. Kenia, British East Africa,' 552; retirement as associate editor of 'The Auk,' 136.
Charadriiformes, 287.
Charadrius dominicus, 43.
dominicus dominicus, 101.
Charitonetta, 409.
albeola, 39, 254, 444, 512.
Chat, Yellow-breasted, 34, 83, 377, 476, 525.
Chaulelasmus, 409.
streperus, 38.
Chelidon, 410.
Chen cærulescens, 39.
hyperboreus, 39.
hyperboreus hyperboreus, 201.
Chickadee, 23, 30, 78, 319.
Black-capped, 374, 375, 477.
Carolina, 84, 377, 526.
Hudsonian, 23, 412.
Chickadee, Long-tailed, 399.
Mountain, 335.
Valdez Chestnut-sided, 385.
Chlamydodera, 556.
Chlidonias, 198.
nigra surinamensis, 198.
Chloris chloris, 558.
Chloropsis aurifrons, 556.
Chondestes grammacus, 33.
grammacus grammacus, 395.
Chordeiles virginianus, 32.
virginianus virginianus, 20, 76, 81, 265, 472, 518.
Chroicocephalus ridibundus lavrovi, 425.
Chrysomitris spinus buturlini, 424.
Chrysoptilus ujhelyii, 557.
Chrysotrogon, 257.
Chrysotrogon ramonianus goeldii, 257.
Chuck-will's-widow, 43, 259.
Cinclodes fuscus albidiventris, 146.
Cinclus mexicanus unicolor, 335.
Cinnyris chloropygius uellensis, 425.
Circus hudsonius, 19, 35, 332, 477, 515.
Cisticola alleni, 261.
difficilis, 261.
hypoxantha reichenowi, 261.
kalahariæ, 555.
prinoides kilimensis, 261.
ruficapilla bororensis, 557.
strangei kapetensis, 261.
subruficapilla æquatorialis, 261.
subruficapilla borea, 261.
Cistothorus brunneiceps, 143.
stellaris, 478, 526.
Clangula, 409, 410.
clangula americana, 19, 42, 75, 444.
Clark, A. H., review of his 'The Ontogeny of a Genus,' 411.
Clark, Hubert Lyman, notes on the Laysan Finch, 166–168.
Clarke, William Eagle, review of his 'Studies in Bird Migration,' 403–405.

Cleaves, Howard H., As to bird banding, 280–281.
Coale, Henry K., Ixobrychus exilis in Texas, 100; Dendroica æstiva captured by a spider, 105; Waterfowl nearly drowned, 107; Columbian Sharp-tailed Grouse in Wisconsin 238; correction, 250.
Cobb, Anna E., the Bohemian Waxwing in Vermont in Summer, 104.
Cobb, Stanley, see Brooks, Winthrop S.
Coccothraustes vespertinus montanus, 113.
Coccyzus americanus, 31.
americanus americanus 81, 471, 517.
erythrophthalmus, 20, 31, 81, 317, 471, 517.
minor maynardi, 393.
Cockerell, T. D. A., birds and the cotton scale, 400.
Cœreba, 555.
cayannensis, 555.
chloropyga alleni, 422.
luteola montana, 555.
pacifica, 422.
Colaptes, 229.
auratus auratus, 81.
auratus borealis, 386.
auratus luteus, 20, 28, 76, 202, 241, 376, 472, 518.
cafer collaris, 36, 332.
chrysoides brunnescens, 383.
chrysoides chrysoides, 383.
chrysoides mearnsi, 384.
Colinus virginianus, 28.
virginianus virginianus, 80, 376, 477, 514.
Colœus monedula cirtensis, 426.
Colombia, birds of, 268, 419, 434, 552, 573.
Colorado, birds, of, 139, 258, 277, 399, 400, 429, 544.
Columba asiatica, 381.
Columba fasciata fasciata, 331, 539.
sodalicia, 424.
trudeaui, 381.
Colymbus, 124, 132, 133.
auritus, 441, 510.
holbœlli, 233, 439.
nigricollis californicus, 42.
Compsothlypis americana americana, 377.
americana usneæ, 23, 324, 478, 523.
pitiayumi elegans, 419.
Condor, 149.
'Condor,' review of, 270, 421.
Connecticut, birds of, 118, 233, 234, 249, 532.
Conopophaga snethlageæ, 424.
Conover, F. L., Franklin's Gull in Wisconsin, 388.
Conuropsis carolinensis, 343–363.
Cooke, Wells W., Passenger Pigeon (*Ectopistes migratorius*) in Alberta, 539; proper name for the Nashville Warbler, 545; review of his 'Distribution of the American Egrets,' 119; comments on his 'Distribution and Migration of North American Shorebirds,' 128-131.
Cooper Ornithological Club, committees of, 283.
Coot, 513.
American, 31.
Copsychus saularis pagiensis, 552.
Cormorant, 538.
Double-crested, 19, 42.
Corvus brachyrhynchos, 28.
brachyrhynchos brachyrhynchos, 21, 77, 82, 320, 473, 519.
brachyrhynchos hesperis, 333.
corax, 28.
corax principalis, 77, 372, 375, 473, 519.
cryptoleucus, 333.
Costa Rica, birds of, 419.

Coturnicops noveboracensis, 100, 237.
Coward, T. A., notice of his 'The Migration of Birds,' 419.
Cowbird, 32, 82, 110, 244, 473, 519.
Craig, Wallace, pigeons do not carry their eggs, 392.
Crandall, Lee S., see Beebe, C. W.
Crane, Little Brown, 40.
Sandhill, 40, 277.
Whooping, 40.
Craspedoprion ntermedius, 419.
Crateropus caudatus altirostris, 557.
caudatus salvadorii, 557.
Creciscus, see Porzana.
Creeper, Brown, 23, 37, 374, 375, 412, 526.
Rocky Mountain, 335.
Crossbill, 77, 245, 324, 520.
Mexican, 333.
Red, 21.
White-winged, 21, 43, 202, 324.
Crow, 21, 28, 77, 82, 320, 325, 459, 473, 519, 542.
Western, 333.
Cryptoglaux acadica acadica, 102, 239, 251, 517.
funerea, 410.
Cryptospiza borealis, 422.
Cuba, birds of, 100, 103, 393, 394, 395, 396.
Cuckoo, Black-billed, 20, 31, 81, 317, 471, 517.
Maynard's, 393.
Yellow-billed, 31, 81, 471, 517.
Curlew, Eskimo, 398.
Hudsonian, 40.
Long-billed, 40.
Cyanocephalus cyanocephalus, 110, 333.
Cyanocitta cristata, 32.
cristata cristata, 21, 82, 377, 473, 519.
stelleri diademata, 109, 333.
Cypseloides, 257.
Cyrtonyx montezumæ mearnsi, 331.
Dafila acuta, 39, 201, 235, 511.
Dearborn, Ned, review of his 'The English Sparrow as a Pest,' 413.
Delaware, birds of, 246.
Delaware Valley Ornithological Club, notice of, 283; collection of, 573.
Dendragapus richardsoni, 252.
Dendrocolaptidæ, 143.
Dendrocopos analis longipennis, 425.
Dendroica, 162–163.
æstiva, 34, 105.
æstiva æstiva, 23, 78, 83, 376, 475, 524.
æstiva hooveri, 265.
auduboni, 230.
auduboni auduboni, 335.
cærulescens, 229.
cærulescens cærulescens, 23, 321, 475, 524.
cærulescens cairnsi, 373, 376.
castanea, 23, 78.
cerulea, 524.
coronata, 23, 37, 73, 78, 230, 324, 524.
discolor, 83, 377, 524.
fusca, 322, 373, 376, 476, 524.
kirtlandi, 72.
magnolia, 23, 78, 322, 475, 524.
palmarum hypochrysea, 78, 524.
palmarum palmarun, 247.
pensylvanica, 78, 324, 373, 376, 476, 524.
striata, 78, 524.
tigrina, 251, 423, 545.
townsendi, 400.
vigorsi, 83, 476, 524.
virens, 23, 78, 323, 373, 375, 476, 524.
Dicaeum formosum, 555.
sumatranum batuense, 552.
Dickcissel, 33, 544.
Dill, Homer R. and Wm. A. Bryan, review of their 'Report on an Expedition to Laysan Island, in 1911,' 412.

Diomedea culminata mathewsi, 422.
exulans, 46.
immutabilis, 412.
nigra, 412.
Dionne, C. E., abundance of the Cape May Warbler (*Dendroica tigrina*) in Quebec, 545.
Diver, Red-throated, 558.
Dolichonyx oryzivorus, 21, 43, 323, 478, 519.
Dove, Mourning, 19, 28, 80, 120, 332, 376, 469, 515.
West Indian White-winged, 381.
Western Mourning, 381.
White-winged, 381.
Dovekie, 399.
Dowitcher, 513.
Long-billed, 42.
Dryobates borealis, 112.
medius transcaucasicus, 424.
pubescens, 28.
pubescens glacialis, 386.
pubescens medianus, 76, 324, 376, 471, 517.
pubescens pubescens, 81.
scalaris bairdi, 383.
scalaris cactophilus, 383.
scalaris eremicus, 383.
scalaris lucasanus, 383.
scalaris symplectus, 241, 386.
villosus, 28.
villosus auduboni, 81.
villosus hyloscopus, 383.
villosus icastus, 385.
villosus leucothorectis, 332, 383.
villosus orius, 385.
villosus sitkensis, 118, 386.
villosus terrænovæ, 76.
villosus villosus, 20, 375, 471, 517.
Duck, Abert's, 305.
Australian, 534.
Baldpate, see Baldpate.
Black, 19, 42, 176–179, 234, 299, 442, 511, 533.
Duck, Bufflehead, see Bufflehead.
Canvas-back, see Canvas-back.
Eider, see Eider.
Florida, 297.
Hawaiian, 301.
Labrador, 389.
Lesser Scaup, 39, 371, 375, 512.
Mallard, see Mallard.
Mottled, 297.
Old-squaw, see Old-squaw.
Pintail, 201, 235, (see also Pintail).
Redhead, see Redhead.
Ring-necked, 512, (see also Ring-neck).
Ruddy, 39, 512.
Scaup, 39, 443.
Steamer, 418.
Texan, 297.
Wood, 39, 80, 512.
Dugés, Alfredo, biographical notice of, 434.
Dumetella carolinensis, 34, 83, 106, 249, 376, 476, 525.
Dyke, Arthur C., records from Nippinickett pond, Bridgewater, Mass., 536.

Eagle, Bald, 20, 43, 254, 372, 375, 393, 516.
Golden, 43, 102, 254, 255, 332, 516.
Economic Ornithology in Recent Entomological Publications, 416.
Ectopistes marginella, 381.
migratorius, 169, 175, 238, 514, 539.
Ecuador, birds of, 138, 141–149.
Egret, 100, 236.
Great White, 42.
Snowy, 42, 237, 277, 331.
Egretta candidissima, 42.
candidissima candidissima, 237, 331.
Eider, 75.
Northern, 535.
Elanoides forficatus, 239.

Emberiza, 384.
citrinella, 558.
rustica, 384.
Empidonax, 229.
acadicus, 376.
griseus, 549.
flaviventris, 21, 518.
minimus, 41, 77, 81, 319, 372, 376, 473, 518.
trailli alnorum 21, 77, 111, 315.
virescens, 32, 81, 473, 518.
wrighti, 549.
'Emu,' review of, 271, 423, 556.
England, birds of, 187, 190, 272, 406, 407.
Eremophila, 410.
Ereunetes pusillus, 101, 238, 252.
Erismatura jamaicensis, 39, 512.
Euchlornis aureipectus festiva, 419.
Erythrocercus nyasæ, 555.
Eudyptula minor iredalia, 124.
Euphonia aurea, 208.
chlorotica, 208.
Euphagus carolinus, 43, 77, 202, 395, 520.
cyanocephalus, 41, 333.

Falco æsalon, 410.
columbarius, 43.
columbarius columbarius, 76, 516, 541.
columbarius richardsoni, 72.
mexicanus, 40.
peregrinus anatum, 102, 516.
rusticolus rusticolus, 239.
sparverius, 35.
sparverius phalæna, 332.
sparverius sparverius, 80, 376, 470, 516.
Falcon, Prairie, 40.
Fay, S. Prescott, Yellow Rail (*Coturnicops noveboracensis*) in Massachusetts, 237.
Feild, Alexander L., see Bruner, Stephen C.
Fiji Islands, birds of the, 422.
Finch, House, 333.
Finch, Laysan, 166–168, 341.
Purple, 21, 245, 255, 322, 325, 520.
Fleming, J. H., the Ancient Murrelet (*Synthliboramphus antiquus*) in Ontario 387–388; Sabine's Gull on the Mississippi River, 388; the Niagara Swan trap, 445–448; review of his 'A New Teal from the Audaman Islands,' 119;
Flicker, 81, 202, 376.
Gilded, 383.
Mearns's Gilded, 384.
Northern, 20, 28, 76, 324, 472, 518.
Red-shafted, 36, 332.
San Fernando, 383.
Florence, Laura, notice of her 'The Food of Birds in Scotland,' 417.
Florida, birds of, 344.
Florida cærulea, 42, 513.
Flycatcher, Acadian, 32, 81, 376, 473, 518.
Alder, 21, 77, 111, 315, 325.
Crested, 32, 81, 242, 324, 325, 377, 472, 518.
Least, 41, 77, 81, 319, 372, 376, 473, 518.
Olive-sided, 21, 121, 324.
Scissor-tailed, 32.
Yellow-bellied, 21, 518.
Forbush, E. H., review of his 'The Starling in America,' 114–115.
France, birds of, 183.
Francolinus bottegi, 555.
casteneicollis, 555.
gofanus, 555.
lathami schubotzi, 425.
Fregata aquila, 531.
Fregetta grallaria, 550.
leucogaster, 550.
mœstissima, 550.
tubulata, 550.
Fregettornis, 550.
Fringilla canaria, 339–342
Fringillaria kovacsi, 424.

Fulica americana, 31, 513.
Fulmar, Slender-billed, 45.

GADWALL, 38.
Galapagos, birds of, 233.
Galerida thecklæ polatzeki, 424.
thecklæ hilgerti, 426.
Gallinago delicata, 40, 73, 75, 513.
nobilis, 143.
Gallinula galeata, 42, 513.
Gallinule, Florida, 42, 513.
Garrulus glandarius corsicanus, 425.
Gavia immer, 42, 75, 201, 510.
Gentry, Thomas G., review of his 'Life-Histories of the Birds of Eastern Pennsylvania,' 119–121.
Georgia, birds of, 103, 105, 531.
Geothlypis trichas occidentalis, 34.
trichas scirpicola, 265.
trichas trichas, 23, 78, 83, 321, 376, 476, 525.
Georgia, birds of, 103, 105.
Germany, birds of, 271, 425.
Gladstone, Hugh S., letter on Sir William Jardine, 278; notice of his 'A Catalogue of the Vertebrate Fauna of Dumfriesshire,' 553.
Glaucidium gnoma gnoma, 382.
gnoma pinicola, 382, 399.
Gnatcatcher, Blue-gray, 41, 84, 526, 546.
Western, 335.
Godwit, Hudsonian, 112.
Marbled, 72, 108, 252.
Golden-eye, 42, 75, 444, 544.
Goldfinch, 21, 29, 82, 322, 325, 377, 474, 520.
Arkansas, 333.
Pale, 333.
Goldman, E. A., review of his 'A New Kingfisher from Panama,' 261; notice of his expedition to Panama, 138.
Goose, American White-fronted, 201.
Goose, Blue, 39.
Canada, 39, 75, 390, 391, 512.
Hutchin's, 39, 536.
Lesser Snow, 39.
Snow, 201.
White-fronted, 39.
Goshawk, 76, 110, 515.
Grackle, Bronzed, 21, 29, 82, 110, 394, 474, 520.
Purple, 293, 473, 520, (see also Blackbird, Crow.)
Grallaria monticola, 144.
Great Slave Lake, birds of, 198–204.
Grebe, Eared, 42.
Holbœll's, 233, 439.
Horned, 441, 510.
Pied-billed, 37, 441, 510.
Western, 42.
Greenland, birds of, 109.
Grinnell, J., a name for the Hawaiian Linnet, 24–25; concerning the Hawaiian Linnet, 543; the functions of the A. O. U. Committee on Nomenclature, 561; review of his 'Systematic List of the Birds of California,' 551.
Griscom, Ludlow, the Connecticut Warbler in Central Park, New York City, 396; see also Johnson, Julius M.
Grönberger, S. M., two new birds for Greenland, 109.
Grosbeak, Black-headed, 459.
Blue, 43, 82.
Pine, 77.
Rocky Mountain Pine, 333.
Rose-breasted, 33, 324, 373, 375, 461, 478, 522.
Western Evening, 43, 113.
Gross, Alfred O., observations on the Yellow-billed Tropic-bird (*Phaëthon americanus* Grant) at the Bermuda Islands, 49–71.
Grouse, Canadian Ruffed, 19, 324.
Columbian Sharp-tailed, 238, 398.

Grouse Richardson's, 252.
Ruffed, 80, 371, 375, 378, 469, 514, 542.
Grus, 410.
americana, 40.
canadensis, 40.
mexicana, 40.
Guillemot, Black, 75.
Guiraca cærulea, 43.
cærulea cærulea, 82.
Guinea Fowl, Crested, 208.
Gull, Black-backed, 100, 544.
Black-headed, 85, 100.
Bonaparte's, 510.
Forked-tailed, 233.
Franklin's, 38, 99, 388, 510.
Glaucous, 75.
Great Black-backed, 75.
Herring, 19, 37, 75, 85, 201, 442, 544.
Laughing, 99, 531, 538.
Lesser Black-backed, 85.
Mew, 85.
Ring-billed, 38, 510.
Sabine's, 388.
Gulls, flight of, 85–92.
Gunning, J. W. B., and Austin Roberts, review of their 'New Records and Descriptions of New Species of Birds in the Transvaal Museum Collection,' 267.
Guttera **pallasi**, 208.
plumifera schubotzi, 425.
Gygis alba, 556.
Gyrfalcon, Gray, 239.

HAGEDASHIA, 552.
Haliæetus leucocephalus, 43.
leucocephalus leucocephalus, 20, 254, 372, 375, 516.
Hapalopteron familiare, 250.
Harelda, 410.
Harelda hyemalis, 42.
Harlow, Richard C., the Louisiana Water-Thrush and Broad-winged Hawk in southern New Jersey, 115; the breeding birds of southern Center county, Pennsylvania, 465–478.
Hartert, Ernst, review of his 'Vögel der paläarktischen Fauna,' Bd. II, 1, 407.
Hartert, Ernst, F. C. R. Jourdain, N. F. Ticehurst, and H. F. Witherby, review of their 'Handlist of British Birds,' 407.
Hawk, Broad-winged, 19, 72, 105, 470, 516.
Cooper's, 40, 80, 375, 470.
Desert Sparrow, 332.
Duck, 80, 102, 109, 516.
Krider's, 31.
Marsh, 19, 35, 332, 477, 515.
Pigeon, 43, 76, 516, 541.
Red-shouldered, 40, 80, 375, 477, 516.
Red-tailed, 19, 35, 376, 470, 515.
Richardson's Pigeon, 72.
Rough-legged, 120, 399.
Sharp-shinned, 19, 43, 72, 80, 332, 477, 515.
Sparrow, 35, 80, 149, 376, 470, 516.
Swainson's, 35.
Texas, Red-shoudered, 232–233.
Western Red-tailed, 332.
Hawaiian Islands, birds of, 24, 336, 339, 543.
Headley, F. W., review of his 'The Flight of Birds,' 106.
Helionympha raineyi, 261.
Hellmayr, C. E., review of his 'Contribution to the Ornithology of Western Colombia,' 268.
Helmitherus vermivorus, 523.
Helmuth, William Tod, Jr., Cory's Shearwater in abundance off Long Island, 234.
Helodromas, 409.
Helodromas solitarius, 40.

Helodromus solitarius solitarius, 514.
Hemispingus, 268.
Hen, Prairie, 28.
Henderson, Junius, remarks on Sclater's 'A History of the Birds of Colorado,' 277–278; Sclater's Contour Map of Colorado, 429.
Henshaw, Henry W., Cooke's 'Distribution and Migration of North American Shorebirds,' 128–131; review of his 'Report of the Chief of the Bureau of Biological Survey for 1911,' 263.
Herodias egretta, 42, 236.
Heron, Black-crowned Night, 42, 513.
Great Blue, 19, 39, 321, 375, 477, 512.
Green, 30, 80, 377, 468, 513.
Little Blue, 42, 513.
Yellow-crowned Night, 254.
Herrick, Francis H., review of his 'Nests and Nest-Building in Birds,' 262.
Hesperiphona vespertina montana, 43.
Heteroprion, 550.
belcheri, 550.
desolatus alter, 550.
desolatus macquariensis, 550.
desolatus mattingleyi, 550.
desolatus perrugneyi, 550.
Highhole, 255.
Hill-star, 146.
Himantopus mexicanus, 72.
Hirundo, 410.
albifrons, 193.
erythrogastra, 22, 34, 83, 265, 315, 335, 396, 475, 522.
Hoatzin, 285.
Hodge, C. F., a last word on the Passenger Pigeon, 169–175.
Holland, birds of, 116, 420, 423.
Hollister, N., some erroneous Wisconsin bird records, 397.
Horeites acanthizoides concolor, 555.
Horsbrugh, Boyd, review of his 'Game-Birds and Water-Fowl of South Africa,' 410, 553.
Howell, Arthur H., review of his 'Birds of Arkansas,' 259.
Howard, H. Eliot, review of his 'British Warblers'—Part 6, 406.
Hummingbird, Allen's, 253.
Ruby-throated, 21, 32, 81, 120, 324, 376, 472, 518.
Hydrobates, 409.
Hydrochelidon nigra surinamensis, 38, 198, 511.
Hylocichla, 160–161.
fuscescens fuscescens, 23, 79, 84, 317, 374, 375, 477, 526.
guttata, 455.
guttata auduboni, 336.
guttata nanus, 336.
guttata pallasi, 23, 79, 250, 316, 527.
mustelina, 35, 84, 318, 377, 477, 526.
ustulata, 455.
ustulata swainsoni, 23, 41, 318, 526.
Hypocentor rustica, 261.
Hypocnemis nævia ochracea, 424.

Ibis, White-faced Glossy, 42.
'Ibis,' review of, 270, 421, 554.
Ibycter carunculatus, 148.
Icteria virens, 34.
virens virens, 83, 377, 476, 525.
Icterus galbula, 33, 82, 244, 473, 520.
spurius, 32, 82, 400, 473, 520.
Ictinia mississippiensis, 43, 239.
Idaho, birds of, 106, 247, 538.
Illinois, birds of, 109, 356, 388, 421.
India, birds of, 413.
Indiana, birds of, 172, 194, 196, 239.
Iowa, birds of, 240.
Iridophanes, 268.

Iridoprocne bicolor, 22, 34, 78, 478, 522.
Isley, Dwight, a list of the birds of Sedgwick County, Kansas, 25–44.
Italy, birds of, 180–183, 185, 188, 268, 270, 422.
Ithaginus cruentus affinis, 553.
kuseri, 553.
Ixobrychus exilis, 30, 100, 399.
Ixos familiaris, 250.
Iynx thorbeckei, 557.
torquilla sarudnyi, 424.

JACKSON, Thomas H., Starling in Chester Co., Pa., 243.
Jacobs, J. Warren, review of his 'The American Bird House Journal,' 266.
Jardine, Sir William, Announcement of proposed life of, 278.
Jay, Blue, 21, 32, 82, 324, 377, 473, 519.
Canada, 412.
Labrador, 77.
Long-crested, 333.
Pinon, 110, 333.
Woodhouse's, 333.
Jewett, Stanley G., another Saw-whet Owl from Oregon, 102; western records of the Catbird (*Dumetella carolinensis*), 106; notes from New Brunswick, 251.
Johnson, Julius M. and Ludlow Griscom; the Brown Pelican on Long Island, 389.
Jourdain, F. C. R., see Hartert, E.
'Journal für Ornithologie,' review of, 271, 425, 557.
'Journal of the South African Ornithologists' Union,' review of, 557.
Junco, Carolina, 372, 375, 521.
Gray-headed, 277.
Pink-sided, 334.
Red-backed, 335.
Ridgway's, 335.
Shufeldt's, 43, 334.
Junco, Slate-colored, 22, 36, 72, 77, 319, 478, 521.
Junco hyemalis, 36.
hyemalis annectens, 335.
hyemalis carolinensis, 372, 375, 521.
hyemalis connectens, 43, 334.
hyemalis hyemalis, 22, 72, 77, 319, 478, 521.
hyemalis mearnsi, 334.
hyemalis oregonus, 265.
phæonotus dorsalis, 335.

KANSAS, birds of, 25–44, 360.
Kellogg, Louise, review of her 'Winter Birds from Trinity and Shasta Counties, California,' 118.
Kennard, Fred. H., a peculiar plumage of the Canada Goose (*Branta canadensis canadensis*), 391.
Kennedy, Clarence H., further notes on the fruit-eating habits of the Sage Thrasher in the Yakima Valley, Washington, 224-226.
Kentucky, birds of, 192, 196, 401, 352.
Keulemans, John Gerrard, obituary notice of, 571.
Killdeer, 31, 72, 80, 331, 469, 514, 537.
Kingbird, 21, 32, 76, 81, 317, 376, 472, 518.
Kingfisher, Belted, 20, 31, 76, 81, 324, 332, 376, 471, 517.
Northwestern Belted, 382.
Kinglet, Golden-crowned, 23, 374, 375, 526.
Ruby-crowned, 73, 78, 335, 526.
Kite, Mississippi, 43, 239.
Swallow-tailed, 239.
Knipolegus orenocensis xinguensis, 424.
Kobbe, Frederick Wm., Shore-bird notes, 108.
Korea, birds of, 138.

Kuser, John Dryden, Egret in Northern New Jersey, 100; review of his 'The Birds of Somerset Hills,' 418.

LABRADOR, 129, 263.
Lacey, Howard, additions to birds of Kerrville, Texas, 254.
Lagopus lagopus albus, 117.
lagopus alexandræ, 117.
lagopus brevirostris, 557.
lagopus lagopus, 202.
lagopus ungavus, 117, 381.
leucurus leucurus, 202.
rupestris rupestris, 202.
rupestris sanfordi, 260.
welchi, 73, 76.
Lamb, Chas. R., Greenland Wheatear seen in Massachusetts, 250.
Lampribis, 552.
Laniarius funebris degener, 426.
funebris atrocæruleus, 426.
Lanius borealis, 37.
ludovicianus excubitorides, 34.
ludovicianus ludovicianus, 523.
ludovicianus migrans, 478.
Lanivireo flavifrons, 83, 475, 523.
solitarius alticola, 373, 376.
solitarius solitarius, 22, 321, 523.
Lano, Albert, White-winged Scoter in Minnesota, 236; Gray Gyrfalcon (*Falco rusticolus rusticolus*) in Minnesota, 239; Painted Bunting in Minnesota, 247; Caspian Tern (*Sterna caspia*) in Minnesota, 389.
Lark, Desert Horned, 36.
Horned, 544.
Prairie Horned, 324, 412, 473, 518.
Shore, 202.
Larus argentatus, 19, 37, 75, 201, 442.
atricilla, 99, 531.
fuscus brittanicus, 555.
Larus delawarensis, 38, 510.
franklini, 38, 99, 388, 510.
hyperboreus, 75, 410.
marginatus, 196.
marinus, 75, 100.
philadelphia, 197, 510.
ridibundus, 572.
Laysan, birds of, 166, 412.
Lechner, A. A. Van Pelt, review of his 'Oologia Neerlandica,' 116, 420.
Limicolæ, 130.
Limosa fedoa, 72, 252.
Limosa hæmastica, 112.
Lincoln, F. C., notes on the Dickcissel in Colorado, 544.
Linnet, Hawaiian, 336–338, 543.
Lobipes lobatus, 400.
Longspur, Chestnut-collared, 398.
Lapland, 111, 204, 246.
Lophodytes cucullatus, 38, 511.
Lophortyx gambeli, 331.
Lophotibis, 552.
Loon, 42, 75, 201, 510.
Louisiana, birds of, 348.
Loxia curvirostra minor, 21, 77, 245, 265, 333, 520.
leucoptera, 21, 43, 202.
Lowe, Percy R., review of his 'A Naturalist on Desert Islands,' 116.

MCATEE, W. L., certain phases of the theory of recognition marks, 226–232; review of his 'Woodpeckers in Relation to Trees and Wood Products,' 114; methods of estimating the contents of bird stomachs, 449–464; review of his 'Bird Enemies of the Codling Moth,' 413.
McAtee, W. L., and F. E. L. Beal, review of their 'Some Common Game, Aquatic and Rapacious Birds in Relation to Man,' 413.
McGregor, Richard C., notice of

his 'Record of a Puffinus new to Philippine Waters,' 267.
Machetornis rixosa flavigularis, 419.
Macronectes giganteus forsteri, 550.
giganteus halli, 550.
giganteus solanderi, 550.
giganteus wilsoni, 550.
Macrorhamphus griseus, griseus, 513, 400.
griseus scolopaceus, 400.
scolopaceus, 42.
Magdalen Islands, birds of the, 112, 209–223.
Maine, birds of, 106, 174, 235, 236, 245, 283, 532, 536, 546.
Maine Ornithological Society, discontinuance of Journal, 283.
Mallard, 38, 108, 511, 533.
Manikup, 257.
Man-o'-war-bird, 531.
Mantellornis, 124.
Mareca, 409.
americana, 38, 511.
penelope, 235, 536.
Marila, 132, 409.
affinis, 39, 371, 375, 512.
americana, 39, 442, 512.
collaris, 39, 512.
marila, 39, 443.
valisineria, 39, 442, 512.
Martin, Purple, 22, 33, 83, 277, 474, 522.
Marx, Edward J. F., Hooded Warbler (*Wilsonia citrina*) at the Delaware Water Gap, Pa., 249; Hermit Thrush wintering at Easton, Pa., 250.
Maryland, birds of, 346.
Mason, C. W., review of his 'The Food of Birds in India,' 413.
Massachusetts, birds of, 99, 237, 242, 243, 247, 249, 250, 390, 391, 394, 395, 420, 531, 533–537, 541, 543, 546.
Mathews, Gregory M., 'Mathews' Notes on Nomenclature,' 131–133; review of his 'Birds of Australia,' 124–125, 549; review of his 'The Austral Avian Record' No. 1, 266; No. 2, 411; No. 3, 551.
Mavis, 255.
Meadowlark, 29, 82, 376, 412, 473, 519.
Western, 29, 333.
Mearns, Edgar A., notice of his trip to Abyssinia and Lake Rudolf, 139; review of his 'Seven new Grass-warblers of the genus Cisticola,' and 'A New species of Sun Bird, *Helionympha raineyi*, from British East Africa,' 261.
Mearnsia, 257.
Megalornis, 410.
Megascops asio, 28.
Melanerpes erythrocephalus, 20, 31, 81, 241, 472, 517, 541.
formicivorus formicivorus, 332.
Meleagris cristata, 208.
gallopavo merriami, 331.
gallopavo silvestris, 28, 80, 469, 514.
Melopelia asiatica asiatica, 381.
asiatica trudeaui, 381.
Melospiza cinerea melodia, 372, 376.
cinerea rufina, 253.
georgiana, 22, 77, 112, 478, 522.
lincolni lincolni, 77, 521.
melodia, 36.
melodia, inexpectata, 117, 386.
melodia melodia, 22, 82, 313, 474, 521.
melodia merrilli, 387.
melodia montana, 400.
melodia morphna, 118, 265, 387.
Merganser, 75, 442.
American, 38, 110.
Hooded, 38, 511.
Red-breasted, 38, 479–488.
Merganser americanus, 38.
Merganser serrator, 38.

Mergus americanus, 75, 110, 442.
serrator, 479–488, (see also Merganser).
Meridan Bird Club, review of its report for 1911, 118.
Merrill, D. E., Sora Rail (*Porzana carolina*) in New Mexico, 536.
Mesopicus schultzei, 424.
'Messager Ornithologique,' review of, 425.
Michigan, birds of, 100, 102, 107, 118, 171–3, 237, 547.
Micranous worcesteri, 267.
Micropalama himantopus, 112, 252.
Miller, Richard F., the Semipalmated Sandpiper in Philadelphia County, Pa., 101; occurrence of the Yellow-headed Blackbird on the Delaware River near Philadelphia, Pa., 102.
Miller, W. DeW., The European Widgeon at Gardner's Island, New York, 235.
Mimus polyglottos, 29.
polyglottos polyglottos, 83, 525.
Missouri, birds of, 102, 344.
Mitchell, Julian, Jr., Pigeon Hawk in South Carolina, in winter, 541.
Mniotilta varia, 22, 78, 83, 322, 377, 475, 523.
Mockingbird, 29, 83, 249, 525.
Molothrus ater, 32.
ater artemisiæ, 386.
ater ater, 82, 110, 473, 519.
ater dwighti, 386.
Monasa fidelis, 261.
similis, 261.
Moore, Robert Thomas, the Least Sandpiper during the nesting season in the Magdalen islands, 210–223: the Bittern (*Botaurus lentiginosus*), wintering in New Jersey, 236; last record of the Piping Plover in New Jersey, 238; the Baltimore Oriole (*Icterus galbula*) wintering in New Jersey, 244.
Morris, Robert O., King Rail (*Rallus elegans*) at Springfield, Mass., 237; the Starling at Springfield, Mass., 243.
Morse, Albert P., review of his 'A Pocket List of the Birds of Eastern Massachusetts,' 420.
Motacilla ruficapilla, 545.
Murphey, Robert Cushman, an albino Semipalmated Sandpiper, 238; notice of his 'Birds of Prospect Park, Brooklyn,' 418.
Murrelet, Ancient, 387.
Muscadionus consobrina babiensis, 552.
Muscisaxicola alpina, 148.
Muscivora forficata, 32.
Museum of Vertebrate Zoology of the University of California, field trips, 137.
Myadestes townsendi, 37, 335.
Myiarchus crinitus, 32, 81, 242, 377, 472, 518.
Myiobius modestus, 419.
Myiochanes ardosiacus polioptilus, 419.
virens, 21, 32, 81, 316, 376, 472, 518.
Myiodynastes chrysocephalus cinerascens, 419.
Myiotheretes erythropygius, 145.
Myrmornis, 257.
Myrmotherula surinamensis pacifica, 268.

NANNUS hiemalis hiemalis, 23, 78, 373, 375, 526.
National Association of Audubon Societies, Annual reports of, 139.
Nelson, E. W., review of his 'Descriptions of two new Species of Nun Birds from Panama,' 261.
Neochalcites, 266.

Neositta mortoni, 271.
Nephœcetes niger borealis, 241, 257.
Nesofregetta, 550.
Netta, 409.
Nettion, 409.
carolinense, 38, 331, 511.
crecca, 535.
Nevada, birds of, 264.
New Brunswick, birds of, 16–23, 112, 210–223, 251.
New Guinea, expedition to, 573.
New Hampshire, birds of, 307–327, 411.
New Jersey, birds of, 100, 105, 236, 238, 418, 421, 532.
New Mexico, birds of, 237, 327–336, 536.
New York, birds of, 100, 105, 108, 234, 235, 238, 239, 389, 418, 532.
New Zealand, birds of, 271, 423.
Newfoundland, birds of, 72–79.
Nichols, John Treadwell, notes on recognition marks in certain species of birds, 44, see also p. 226.
Nighthawk, 20, 32, 121, 324, 472, 518.
Nightingale, Greater Kamchatkan, 385.
Ninox strenua, 556.
Nomina conservanda, 432–434.
North Carolina, birds of, 108, 346, 368–377, 531, 533, 538.
North Dakota, birds of, 539.
Norton, Arthur H., the Pintail Duck (*Dafila acuta*) — in winter near Portland, Maine, 235; early occurrence of the White-rumped Sandpiper (*Pisobia fuscicollis*) in Maine, 536.
'Notes from the Leyden Museum,' review of, 426.
Notornis hœckstetteri, 124.
Nova Scotia, birds of, 378, 523.
'Novitates Zoologicæ,' review of, 426.
Nucifraga columbiana, 333.
Numenius borealis, 398.
hudsonicus, 40.
longirostris, 40.
phaeopus, 558.
Numida cristata, 208.
Nutcracker, Clark's, 333.
Nuthatch, Brown-headed, 84.
Pygmy, 335.
Red-breasted, 23, 78, 324, 335, 374, 412, 526.
Rocky Mountain, 335.
Slender-billed, 111.
White-breasted, 37, 84, 324, 375, 476, 526.
Nuttallornis borealis, 21.
Nyctea nyctea, 43, 110.
Nycticorax nycticorax nævius, 42, 513.
Nyctinassa violacea, 254.
Nyroca, 132, 409.

Oates, Eugene William, biographical notice of, 434.
Oberholser, H. C., review of his 'Revision of the Edible-Nest Swiftlets,' 411.
Oceanites nereis chubbi, 550.
nereis couesi, 550.
oceanicus exasperatus, 550.
Oceanodroma leucorhoa, 75.
tristrami, 412.
Ochthodromus wilsonius, 392.
Œnanthe, 133, 396, 409.
Ohio, birds of, 196, 421.
Oidemia deglandi, 236.
perspicillata, 42, 201.
Oklahoma, birds of, 344.
Old-squaw, 42.
Oliver, W. R. B., review of his 'Geographic Relationships of the Birds of Lord Howe, Norfolk and the Kermadec Islands,' 553.
Olor columbianus, 39, 445–448.
Ontario, birds of, 345, 387, 397.
Oprorornis agilis, 396.
formosus, 377.
Oregon, birds of, 102, 106, 253.

Oreoibis, 552.
akleyorum, 552.
Oreortyx, 253.
picta confinis, 549.
picta plumifera, 538, 549.
Oreoscoptes montanus, 224–226.
Oreospiza chlorura, 255, 335.
Oreotrochilus chimborazo, 147.
pichincha, 146.
Oriole, Baltimore, 33, 82, 244, 473, 520.
Orchard, 32, 82, 473, 520.
Ornithological Journals, reviews of, 270–272, 420–426, 554–559.
'Ornithologische Monatsberichte,' 424, 557.
'Ornithologische Monatsschrift,' review of, 425, 558.
'Ornithologisches Jahrbuch,' review of, 425, 558.
Osprey, 43, 76, 393, 517.
Otocoris alpestris hoyti, 202.
alpestris leucolæma, 36.
alpestris praticola, 473, 518.
Otus asio asio, 81, 376, 471, 517, (see also Megascops).
asio cineraceus, 382.
asio gilmani, 382.
flammeolus flammeolus, 332.
Ousel, Water, 335.
Oven-bird, 23, 43, 83, 111, 318, 325, 377, 476, 524.
Owenavis, 266.
Owl, Barn, 31, 81, 517.
Barred, 40, 81, 478, 517.
Burrowing, 28.
Flammulated Screech, 332.
Great Gray, 397.
Great Horned, 81, 156, 240, 471, 517.
Hawk, 120.
Long-eared, 40, 255, 477.
Rocky Mountain Pygmy, 382, 399.
Sahuara Screech, 382.
Saw-whet, 102, 239, 517.
Owl, Screech, 28, 81, 158, 376, 471, 517.
Short-eared, 40, 110, 277, 517.
Snowy, 43, 110.
Western Horned, 332.
Oxyechus vociferus, 31, 72, 80, 331, 469, 514, 537.
Oystercatcher, 538.

PAGODROMA confusa, 550.
Pagophila alba, 410.
Palmer, T. S., the Man-o'-War-bird (*Fregata aquila*) on the coast of Georgia, 531.
Panama, birds of, 138, 261.
Pandion haliaëtus carolinensis, 43, 76, 517.
Parkins, Thomas, review of his 'Record of Sales of the Great Auk,' 266.
Paroquet, Carolina, 343–363, 559.
Partridge, Crater, 148.
Spruce, 412.
Parus ater ptilosus, 555.
aureus, 208.
cinereus ferghanensis, 425.
Passer domesticus, 21, 29, 82, 334, 377.
Passerculus sandwichensis alaudinus, 265, 384.
sandwichensis nevadensis, 384.
sandwichensis savanna, 21, 72, 73, 77, 316, 474, 521.
Passerella iliaca, 41.
iliaca altivagans, 117, 386.
iliaca iliaca 73, 74, 77, 522.
iliaca sinuosa, 386.
Passerherbulus henslowi henslowi, 82.
lecontei, 33, 72.
maritimus macgillivraii, 104.
maritimus maritimus, 103.
nelsoni nelsoni, 72, 521.
nelsoni subvirgatus, 21, 251.
Passerina cyanea, 33, 82, 111, 321, 377, 474, 522.

Passerina ciris, 43, 247.
ciris pallidior, 386.
Patagonia, birds of, 417.
Pediœcetes phasianellus campestris, 238.
phasianellus columbianus, 238.
Pelagodroma marina dulciæ, 550.
marina howei, 550.
marima maoriana, 550.
Pelecanus erythrorhynchos, 38, 254.
occidentalis, 42, 389.
Pelican, Brown, 42, 389, 531.
White, 38, 254.
Pelidna alpina sakhalina, 391.
Penelope colombiana, 419.
Penguin, King, 559.
Penguinus, 124.
Pennock, C. J., nesting of the Passenger Pigeon (*Ectopistes migratorius*) in New York, 238; Crossbills (*Loxia curvirostra minor*) in Chester Co., Pa., in summer, 245; Lapland Longspur (*Calcarius lapponicus lapponicus*) in Delaware, 246; Lawrence's Warbler (*Vermivora lawrencei*) in Chester County, Pa., 247.
Pennsylvania, birds of, 99, 101, 102, 103, 119, 243, 245, 247, 249, 250, 269, 465–478.
Penthestes atricapillus atricapillus, 23, 30, 78, 230, 319, 374, 375, 477.
atricapillus septentrionalis, 399.
carolinensis, 230.
carolinensis carolinensis, 84, 377, 526.
gambeli gambeli, 335.
hudsonicus hudsonicus, 23.
rufescens rufescens, 384.
rufescens vivax, 385.
Perisoreus canadensis nigricapillus, 77.
Peru, birds of, 283, 425.
Petrel, Black-capped, 511.
Bulwer's, 412.
Petrel, Leach's 75.
Sooty, 412.
Wilson's, 538.
Petrochelidon lunifrons, 34,204, 396.
lunifrons lunifrons, 22, 83, 335.
Petronia superciliaris bororensis, 557.
Peucæa æstivalis bachmani, 111, 376, 521.
cassini, 41.
Pewee, Wood, 21, 32, 81, 316, 325, 376, 472, 518.
Phaëthon demersus, 124.
americanus, 49.
Phætusa magnirostris, 100.
Phalacrocorax auritus, 42.
auritus auritus, 19.
Phalænoptilus nuttalli nitidus, 332.
Phalarope, Northern, 128.
Wilson's, 42, 72, 108.
Phalaropus hyperboreus, 128.
Pheasant, Mikado, 555.
Pheugopedius macrurus annectens, 419.
Philippine Islands, birds of, 267.
Phillips, Charles L., the Acadian Sharp-tailed Sparrow and other birds at Plymouth, Mass., 543.
Phillips, John C., a reconsideration of the American Black Ducks with special reference to certain variations 295–306; the Hawaiian Linnet, *Carpodacus mutans*, Grinnell, 336–338; Massachusetts Geese, 390; Rusty Blackbird (*Euphagus carolinus*) wintering in Essex Co., Mass., 395; Mallard and Black Ducks at Currituck, N. C., 533; dispersal of the Australian Duck (*Anas superciliosa*) 534; the European Teal (*Nettion crecca*) again returning to Wenham, Mass., 535; see also Barbour, Thomas.
Philohela minor, 19, 42, 72, 80, 469, 513.

Phlœotomus pileatus abieticola, 251, 323, 471, 517.
pileatus floridanus, 386.
pileatus picinus, 386.
pileatus pileatus, 81.
scapularis, 241.
Phœbe, 32, 81, 316, 325, 333, 372, 376, 472, 518.
Phrygilus unicolor, 142.
Piaya rutila panamensis, 419.
Picoides americanus dorsalis, 400.
arcticus, 76.
Pigeon, Band-tailed, 331, 392, 539, 540.
Cape, 45.
Passenger, 169-175, 238, 514, 539.
Wood, 186.
Pinicola enucleator flammula, 265.
enucleator leucura, 77.
enucleator montana, 333.
Pintail, 39, 511.
Pipilo erythrophthalmus, 33.
erythrophthalmus erythrophthalmus, 82, 376, 474, 521.
fuscus mesoleucus, 335.
maculatus curtatus, 386.
maculatus montanus, 335.
Pipit, 525,
American, 37.
Sprague's, 72.
Piranga erythromelas, 33, 83, 373, 377, 474, 522.
ludoviciana, 111, 255.
rubra rubra, 83.
Pisobia fuscicollis, 536.
maculata, 40, 513.
minutilla, 40, 73, 76, 210–223, 514.
Pitta habenichti, 557.
Planesticus migratorius, 30.
migratorius migratorius, 23, 79, 84, 204, 314, 375, 477, 527.
migratorius propinquus, 111, 336.
Platyrhynchus griseiceps amazonicus, 424.
Plautus impennis, 208.
Plectrophenax nivalis, 43.
nivalis nivalis, 111, 202.
Plegadis guarauna, 42.
Ploceus anochlorus, 425.
melanolæma, 424.
Plover, American Golden, 43.
Black-bellied, 43.
Golden, 101.
Piping, 46, 72, 222, 238.
Ring-neck, 46, 222.
Semipalmated, 514.
Upland, 31, 72, 254, 277, 514.
Wilson's, 392.
Podiceps, 124, 132, 133.
cristatus christiani, 124.
griseigena, 385.
Podilymbus podiceps, 37, 441, 510.
Pœcile barcalensis suschkini, 424.
Poicephalus meyeri matschiei, 424.
Polionetta albigularis leucopareus, 118.
Polioptila cærulea, 41.
cærulea cærulea, 84, 526, 546.
cærulea obscura, 335.
melanura, 549.
Poliospiza dimidiata, 424.
Pocœcetes gramineus, 41.
gramineus confinus, 333.
gramineus gramineus, 21, 82, 316, 474, 521.
Poor-will, Frosted, 332.
Popelairia conversii salvini, 257.
Porphyrio cæruleus, 555.
melanotis fletcheræ, 124.
melanotis neomelanotus, 124.
Porto Rica, birds of, 138.
Porzana carolina, 31, 474, 522, 536.
jamaicensis, 398.
Porzanula palmeri, 342.
Pribilof, Islands, ornithological investigations in the, 573.
Prion vittatus gouldi, 550.
vittatus keyteli, 550.

Prion vittatus macgillivrayi, 550.
vittatus missus, 550.
'Proceedings of the Zoological Society of London,' review of, 559.
Procellaria æquinoctialis brabournei, 550.
æquinoctialis mixta, 550.
æquinoctialis steadi, 550.
Progne subis, 33.
subis subis, 22, 83, 474, 522.
Pseudogerygone jacksoni, 424.
Pseudoprion turtur crassirostris, 550.
turtur eatoni, 550.
turtur huttoni, 550.
turtur solanderi, 550.
Ptarmigan, Rock, 202.
Ungava, 381.
Welch's, 73, 76.
White-tailed, 202.
Willow, 202.
Pterodroma, 410.
Ptilocorys cristata ionia, 424.
cristata subtaurica, 424.
cristata weigoldi, 424.
Ptilonorhynchus minor, 556.
Ptilotis carpentariensis, 556.
cockerelli, 271.
sub-chrysops, 556.
Publications received, 125–127, 272–274, 426–428, 559–560.
Puffinus assimilis kempi, 550.
assimilis tunneyi, 550.
auricularis, 550.
borealis, 234.
carneipes, 380.
carneipes carbonarius, 550.
carneipes hakodate, 550.
carneipes hullianus, 550.
couesi, 550, 551.
griseus, 399.
griseus chilensis, 551.
griseus stricklandi, 551.
gravis, 234.
lherminieri becki, 550.
lherminieri boydi, 550.
Puffinus lherminieri nugax, 550.
opisthomelas, 550.
pacificus alleni, 550.
pacificus hamiltoni, 550.
pacificus laysani, 550.
pacificus royanus, 550.
reinholdi, 550.
reinholdi huttoni, 550.
Purdie, Henry Augustus, biographical notice of, 1–15.
Pycnonotus layardi pallidus, 557.
tricolor ngamii, 555.
Pycraft, W. P., review of his 'A History of Birds,' 405.

QUAIL, Gambel's, 331.
Quebec, birds of, 532, 545.
Querquedula, 409.
cyanoptera, 39.
discors, 38, 512.
Quiscalus quiscula æneus, 21, 29, 82, 110, 474, 520.
quiscala quiscala, 473, 520.

RAFINESQUE, C. F., Writings of 191–198, 401.
Rail, Black, 398.
King, 30, 237, 513.
Virginia, 40, 468, 513.
Yellow, 100, 237.
Rallus elegans, 30, 237, 513.
virginianus, 40, 468, 513.
Ramphomicron stanleyi, 148.
Ramsden, Charles T., *Phætusa magnirostris* Licht. in Cuba, 100; *Xanthocephalus xanthocephalus* in eastern Cuba, 103; Lark Sparrow (*Chondestes grammacus grammacus*) in Cuba, 395; Cliff Swallow (*Petrochelidon lunifrons* Say) — a Cuban record, 396; Maynard's Cuckoo (*Coccyzus minor maynardi*) in Cuba, 393; the Cuban Whip-poor-will (*Antrostromus cubanensis* Lawrence) with young, 394.

Raven, American, 28.
White-necked, 333.
Northern, 77, 372, 375, 473, 519.
Recognition marks in birds, 44, 226.
Recurvirostra americana, 42, 72.
Red-head, 39, 442, 512.
Redpoll, 77, 111, 113, 202.
Redshank, 110, 381.
Redstart, 23, 41, 83, 111, 321, 325, 478, 525.
Redwing, 110, 394.
San Diego, 333.
Regulus calendula calendula, 73, 78, 335, 526.
satrapa, 23.
satrapa satrapa, 374, 375, 526.
'Revista Italiana di Ornitologia,' review of, 268.
'Revue Francaise d'Ornithologie,' review of, 558.
'Revue Zoologique Africaine,' review of, 426.
Rhamphocorys clot-bey, 555.
Rhoads, Samuel N., birds of the paramo of central Ecuador, 141–149; additions to the known ornithological publications of C. S. Rafinesque, 191–198; ornithological notes of Rafinesque in the Western Review and Miscellaneous Magazine, Lexington, Ky., 401; notice of his expedition to Ecuador, 138.
Rhopoterpe, 257.
Richmond, Charles W., notice of his 'Descriptions of Five New Birds from the West Coast of Sumatra,' 552; his card-list of birds, 279.
Ridgway, Robert, review of his 'The Birds of North and Middle America,' Part V, 256–257.
Riley, J. H., review of his 'Three New Birds from Canada,' 117.
Ring-neck, 39.
Riparia riparia, 22, 34, 78, 83, 522.
Road-Runner, 277.
Roberts, Austin, review of his 'Economics of Ornithology in South Africa,' 121–122; see also Gunning, J. W. B.
Robin, 23, 30, 79, 84, 204, 277, 314, 326, 375, 477, 527.
Western, 111, 336.
Rook, 454.
Roosevelt, Theodore, criticism of his 'Revealing and Concealing Coloration in Birds and Mammals,' 498–507.
Rossignol, Gilbert R., Jr., an albino egg of Wilson's Plover, 392.
Rubow, C., notice of his 'Life of the Common Gull,' 119.

Sage, John H., Twenty-ninth stated meeting of the American Ornithologists' Union, 92–99; Holbœll's Grebe in Connecticut, 233.
Salpinctes obsoletus obsoletus, 335.
Saltator orenocensis rufescens, 419.
Sanderling, 47.
Sandpiper, Aleutian, 396.
Buff-breasted, 108, 112, 537.
Least, 40, 46, 47, 73, 76, 209–223, 514.
Pectoral, 40, 513.
Red-backed, 391.
Semipalmated, 46, 47, 101, 238, 252.
Solitary, 40, 108, 514.
Spotted, 19, 31, 76, 80, 222, 331, 469, 514.
Stilt, 112, 252.
Western Solitary, 277.
White-rumped, 47, 536.
Sapsucker, Red-breasted, 114.
Red-naped, 35, 332.
Williamson's, 114, 332.
Yellow-bellied, 20, 114, 323, 517.
Saxicola, 271, 396, 409.

Saxicola œnanthe leucorhoa, 250.
Sayornis phœbe, 32, 81, 316, 372, 376, 472, 518.
sayus, 333.
Schistochlamys atra aterrima, 419.
Sclater, W. L., Aves in the International Catalogue of Scientific literature, 568; review of his 'A History of the Birds of Colorado,' 258, 277, 429.
Scolopax, 230.
calidris, 110.
totanus, 381.
Scops spurrelli, 555.
Scoter, Surf, 24, 201.
White-winged, 236.
Scotiaptex nebulosa, 397.
Scott, W. E. D. and R. Bowdler Sharpe, notice of their 'Birds of Patagonia,' Vol. II, 417.
'Scottish Naturalist,' review of, 558.
Seiurus aurocapillus, 23, 43, 83, 111, 318, 377, 476, 524.
motacilla, 83, 377, 476, 524.
noveboracensis noveboracensis, 78.
Selasphorus alleni, 253.
Serinus angolensis hilgerti, 425.
Setophaga ruticilla, 23, 41, 83, 111, 321, 478, 525.
Sharpe, R. Bowdler, notice of the index to his 'Hand List of Birds,' 572, see also Scott, W. E. D.
Shearwater, Cory's 234.
Greater, 45, 234.
Pale-footed, 380.
Sooty, 399.
Sherman, Althea R., diurnal activities of the Great Horned Owl (*Bubo virginianus virginianus*), 240.
Shoveller, 39, 112, 512.
Shrike, Loggerhead, 523.
Migrant, 478.
Northern, 37.
White-rumped, 34.
Shufeldt, R. W., the photography of birds' eggs, 274–276; unusual nest site for the Cardinal, 395; the Band-tailed Pigeon (*Columba fasciata*) in North Dakota, 539.
Sialia currucoides, 336.
sialis, 30.
sialis sialis, 23, 84, 317, 376, 477, 527.
mexicana bairdi, 336.
Siptornis flammulata, 143.
Siskin, Pine, 21, 36, 324, 333, 519.
Sitta canadensis, 23, 78, 335, 374, 375, 526.
carolinensis aculeata, 111.
carolinensis, 37.
carolinensis carolinensis 84, 375, 476, 526.
carolinensis nelsoni, 335.
pusilla, 84.
pygmæa pygmæa, 335.
Smith, Austin Paul, status of the Picidæ in the lower Rio Grande Valley, 241; strange actions of a Red-eyed Cowbird, 244; recent records from the lower Rio Grande, 254.
Smyth, Ellison A., Jr., birds observed in Montgomery County, Virginia, 508–530.
Snipe, Wilson's, 40, 46, 73, 75, 210, 513.
Snowflake, 202.
Solitaire, Townsend's, 37, 335.
Somateria dresseri, 75.
mollissima borealis, 535.
Sora, 31, 277, 469, 513, 536.
South Carolina, birds of, 101, 102, 532, 541.
South Dakota, birds of, 110, 535.
Sparrow, Acadian Sharp-tailed, 21, 543.
Bachman's, 111, 376, 521.
Baird's, 72.
Cassin's, 41.

Sparrow, Chipping, 22, 33, 77, 82, 313, 425, 377, 474, 521.
Clay-colored, 41.
English, 21, 82, 286, 334, 377.
Field, 33, 82, 319, 377, 412, 474, 521.
Fox, 41, 73, 74, 77, 211, 223, 522.
Gambel's, 333, 400.
Golden-crowned, 333.
Grasshopper, 41, 82, 474, 521.
Harris's, 36, 253.
Henslow's 82.
House, 29.
Ipswich, 289, 294.
Lark, 33, 395.
LeConte's, 33, 72.
Lincoln's, 77, 521.
Mountain Song, 400.
Nelson's 72, 521.
Nevada Savannah, 384.
Sage, 335.
Savannah, 21, 72, 73, 77, 211, 316, 325, 474, 521.
Seaside, 103.
Song, 22, 36, 82, 313, 325, 372, 376, 474, 521.
Sooty Song, 253.
Swamp, 22, 77, 478, 522.
Texas, 255.
Tree, 36, 77, 204, 521.
Western Chipping, 334.
Western Tree, 111.
Western Vesper, 333.
Western Grasshopper, 253.
White-crowned, 41, 77, 121, 204, 521.
White-throated, 22, 77, 247, 315, 325, 521.
Vesper, 21, 41, 82, 316, 325, 474, 521.
Spatula clypeata, 39, 112, 521.
Speotyto cunicularia hypogæa, 28.
Sphyrapicus ruber, 114.
thyroides, 114, 332.
Sphyrapicus varius, 114.
varius nuchalis, 35, 332.
varius varius, 241, 323, 517.
Spinus, 409.
pinus, 36, 333, 520.
pinus pinus, 21, 112.
Spiza americana, 33, 544.
Spizella monticola, 36.
monticola monticola, 77, 204, 521.
monticola ochracea, 111.
pallida, 41.
passerina, 33.
passerina arizonæ, 334.
passerina passerina, 22, 77, 82, 313, 377, 474, 521.
pusilla, 33.
pusilla pusilla 82, 319, 377, 474, 521.
Spoonbill, Roseate, 42.
Sporophila haplochroma, 419.
Squatarola squatarola, 43.
Stafford, Earle F., Notes on Palmer's Thrasher (*Toxostoma, curvirostre palmeri*), 363–368.
Starling, 114, 243, 394, 558.
Steganopus tricolor, 42, 72, 400.
Stelgidoptreyx serripennis, 376, 475.
Sterna caspia, 252, 389.
forsteri, 511.
hirundo, 19, 38, 75, 511.
melanops, 197.
tschegrava, 410.
Stevens, Caroline M., capture of the Carolina Wren at Portland, Maine, 106.
Stilt, Black-necked, 72.
Stone, Witmer, Franklin's Gull (*Larus franklini*) at Philadelphia, 99; Vrœg's Catalogue, 205–208; note on Hapalopteron familiare, 250; type of the genus Saxicola, 396; the functions of the A. O. U. committee on nomenclature, 565; chosen editor of The Auk, 136.
Streets, Thomas H., the Forked-

tailed Gull (*Xema furcatum*), 233–234.
Strix varia, 40.
varia varia, 81, 478, 517.
Strong, R. M., some reminiscences of the late Professor C. O. Whitman, 15–16; some observations on the life history of the Red-breasted Merganser, *Mergus serrator* Linn., 479–488; review of his 'Olfactory Organs and the Sense of Smell in Birds,' 115–116.
Sturnella magna, 29, 229.
magna magna, 82, 376, 473, 519.
neglecta, 29, 229, 333.
Sturnus vulgaris, 243, 394, 558.
Swales, B. H., Yellow Rail (*Coturnicops noveboracensis*) in Michigan, 100; Duck Hawk (*Falco peregrinus anatum*) in Michigan, 102; Carolina Wren (*Thryothorus ludovicianus ludovicianus*), in Michigan, 107; Yellow Rail, in Michigan; A Correction, 237.
Swallow, Bank, 22, 34, 78, 83, 522.
Barn, 22, 34, 83, 315, 325, 335, 396, 475, 522.
Cliff, 22, 34, 83, 193–195, 204, 324, 335, 396, 474, 522.
Rough-winged, 376, 475.
Tree, 22, 34, 78, 324, 478, 522.
Swarth, H. S., differences due to sex in the Black Swift, 241–242; review of his 'Report on a Collection of Birds and Mammals from Vancouver Island,' 265; review of his 'New Hairy Woodpecker from Southeastern Alaska, 118; on the alleged egg-carrying habit of the Band-tailed Pigeon, 540.
Swan, Whistling, 39, 108, 445–448.
Swift, Black, 241, 257.
Chimney, 20, 32, 81, 121, 286, 323, 325, 376, 472, 518.
Swift, White-throated, 277.
Sylvia ruficapilla, 545.
undata aremoricus, 558.
Synallaxis, 143.
Synthliboramphus antiquus, 387.

Tachornis parvus myochrous, 557.
Tachyeres cinereus, 418.
Tachyphonus nobilis, 555.
Tanager, Scarlet, 33, 83, 324, 373,
377, 474, 522.
Summer, 83.
Western, 111, 255.
Tangara guttata eusticta, 419.
guttata trinitatis, 419.
Tangavius æneus involucratus, 244.
Tarsiger stellatus transvaalensis, 557.
Taverner, P. A., two interesting records for Canada, 396.
Taylor, Walter P., review of his 'Field Notes on Amphibians, Reptiles and Birds of Northern Humboldt County, Nevada,' 264.
Tchitrea paradisi ceylonensis, 424.
Teal, Blue-winged, 38, 512.
Cinnamon, 39.
European, 535.
Green-winged, 38, 331, 511.
Telespiza cantans, 166–168, 341.
Telmatodytes palustris, 35.
palustris palustris, 526.
Tern, Black, 38, 511.
Caspian 252, 389.
Common, 19, 38, 75, 511, 538.
Forster's, 511.
Least, 538.
Royal, 538.
Sooty, 412.
White, 538.
Texas, birds of, 100, 241, 232, 244, 254, 361.
Thalassoaëtus pelagicus, 385.
Thalassodroma, 409.
Thamnophilus marcapatæ, 425.

Thayer, Abbott H., concealing coloration, 430.
Thayer, Abbott H., and Gerald H., discussion of their work on concealing coloration, 489–507.
Thayer, John E., Great Auk eggs in the Thayer Museum, 208–209; Killdeer (*Oxyechus vociferus*) at Lancaster, Mass., 537.
Thorn-bill, 148.
Thrasher, Brown, 35, 84, 377, 476, 525.
Palmer's, 363–368.
Sage, 224–226.
Thriponax javensis buttekoferi, 552.
Thrush, Audubon's Hermit, 336.
Dwarf Hermit, 336.
Hermit, 23, 79, 250, 316, 325, 527.
Olive-backed, 23, 41, 318, 325, 526.
Wilson's, 374, 375.
Wood, 35, 84, 318, 325, 377, 412, 477, 526.
Thryomanes bewickii bewickii, 84, 478, 525.
bewicki catalinæ, 386.
bewickii cryptus, 35.
bewicki marinensis, 386.
Thryothorus ludovicianus, 30.
ludovicianus ludovicianus, 84, 106, 107, 377, 525.
Thurston, Henry, another record of the Philadelphia Vireo from Long Island, N. Y., 105.
Ticehurst, N. F., see Hartert, E.
Tigribaphe leucolæma, 424.
Tinamou, 143.
Titmouse, Bridled, 335.
Tufted, 41, 84, 376, 477, 526.
Todd, W. E. Clyde, review of his 'Descriptions of New Neotropical Birds,' 419.
Todd, W. E. Clyde, and W. W. Worthington, review of their 'Contribution to the Ornithology of the Bahama Islands,' 123.
Totanus flavipes, 40, 76, 514.
totanus, 110, 381.
melanoleucus, 40, 73, 76, 514.
Towhee, 33, 82, 376, 474, 521.
Cañon, 335.
Green-tailed, 255–335.
Spurred, 335.
Townsend, Charles W., the validity of the red-legged subspecies of Black Duck, 176–179; notes on the summer birds of the St. John Valley, New Brunswick, 16–23; bird genealogy, 285–295; the case of a Crow and a Ruffed Grouse, 542; review of his 'Captain Cartwright and his Labrador Journal,' 263.
Toxostoma curvirostre palmeri, 363, 368.
rufum, 35, 84, 377, 476, 525.
Trichodere, 271.
Tringa, 409.
leucophæa, 208.
Trochilus, 257.
Troglodytes aëdon aëdon, 84, 476, 525.
solitarius, 419.
Trogon, 257.
Trogonurus, 257.
Tropic-bird, Yellow-billed, 49–71.
Trotter, Spencer, the relation of genera to faunal areas 159–165; the names Purple Finch, Mavis and Highole, 255.
Tryngites subruficollis, 112, 537.
Turdus camtschatkensis, 385.
iliacus, 109, 387.
pilaris sarudnyi, 424.
viscivorus loudoni, 557.
viscivorus sarudnyi, 424, 557.
Turkey, Wild, 28, 80, 469, 514.
Tympanuchus americanus, 28.
Tyrannus tyrannus, 21, 32, 76, 81, 317, 376, 472, 518.
Tyto, 409.

UPUCERTHIA excelsior, 146.

Uræginthus cyanocephalus mülleri, 425.
Uranomitra, 257.
Uria lomvia lomvia, 251.
Urinator arcticus suschkini, 426.

VEERY, 23, 79, 84, 317, 325, 374, 477, 526.
Venezuela, birds of, 419.
'Verhandlungen der Ornithologischen Gesellschaft in Bayern,' review of, 425.
Vermivora, 229.
bachmani, 105.
celata celata, 523.
chrysoptera, 523.
lawrencei, 247.
peregrina, 41, 523.
rubricapilla rubricapilla, 22, 322.
ruficapilla, 545.
Vermont, birds of, 104.
Vinago calva uellensis, 425.
Vireo, Bell's, 41.
Blue-headed, 22, 321, 523.
Mountain, 373, 376.
Philadelphia, 105.
Red-eyed, 22, 34, 83, 320, 376, 475, 523.
Warbling, 34, 83, 475, 523.
White-eyed, 34, 83, 377.
Yellow-throated, 83, 475, 523.
Vireo, 229.
belli, 41.
griseus, 34.
griseus griseus, 83, 377.
Vireolanius leucotis simplex, 424.
Vireosylva gilva, 34.
gilva gilva, 83, 475, 523.
olivacea, 22, 34, 83, 320, 376, 475, 523.
philadelphica, 105.
Virginia, birds of, 79–84, 347, 399, 508–530.
Visher, Stephen Sargent, additions to a list of the birds of Harding county, northwestern South Dakota, 110; Northern Eider in South Dakota, a new record for the interior of North America, 535.
Vulture, Black, 80, 515.
Turkey, 31, 80, 332, 376, 470, 515.

WARBLER, Audubon's, 335.
Bachman's, 105.
Bay-breasted, 23, 78, 545.
Black and White, 22, 78, 83, 322, 377, 475, 523.
Black-poll, 78, 211, 524.
Black-throated Blue, 23, 278, 321, 475, 524.
Black-throated Green, 23, 78, 323, 373, 375, 476, 524.
Blackburnian, 322, 373, 376, 476, 524, 545.
Cairns', 373, 376.
Canada, 23, 78, 324, 373, 376, 476, 525.
Cape May, 523, 545.
Cerulean, 524.
Chestnut-sided, 78, 324, 373, 376, 476, 524.
Connecticut, 396.
Golden-winged, 475, 523.
Hooded, 83, 249, 377, 476, 525.
Kentucky, 377.
Kirtland's, 72.
Lawrence's, 247.
Magnolia, 23, 78, 322, 325, 475, 524.
Mourning, 324.
Myrtle, 23, 37, 73, 78, 291, 324, 524.
Nashville, 22, 322, 545.
Northern Parula, 23, 324, 478, 523.
Orange-crowned, 523.
Palm, 247.
Parula, 377.
Pileolated, 254.

Warbler, Pine, 83, 476, 524.
Prairie, 83, 377, 524.
Tennessee, 41, 523.
Townsend's, 400.
Wilson's, 78, 412, 525.
Worm-eating, 523.
Yellow, 23, 34, 78, 83, 105, 376, 412, 475, 524.
Yellow Palm, 78, 524.
Washington, birds of, 224–226.
Water-Thrush, 78.
Louisiana, 83, 105, 377, 476, 524.
Waxwing, Bohemian, 43, 44, 104, 111, 204.
Cedar, 22, 37, 83, 323, 373, 375, 400, 475, 523.
Wayne, Arthur T., Bachman's Warbler in Camden Co. and breeding in Chatham Co., Geor-Georgia, 105; the Golden Plover (*Charadrius dominicus dominicus*) on the coast of South Carolina, 101; the Seaside Sparrow (*Passerherbulus maritimus maritimus*) breeding on the coast of Georgia near Savannah, 103.
Weber, J. A., the Black-backed Gull (*Larus marinus*) on Long Island, N. Y., in August, 100; an unusually late nesting date of the Catbird (*Dumetella carolinensis*, 106; a case of cannibalism among Blackbirds, 394.
West Indies, birds of, 116.
West Virginia, birds of, 111.
Wetmore, Alexander, notice of his expedition to Porto Rica, 138; new records from Arkansas, 112.
Wheatear, Greenland, 250.
Wheeler, David E., notes on the spring migration at timberline, north of Great Slave Lake, 198–204.
Whimbrel, 558.
Whip-poor-will, 32, 81, 151–156, 259, 324, 376, 472, 518.
Whip-poor-will, Cuban, 394.
Whistler, 19.
Whitman, C. O., reminiscences of, 15–16.
Widgeon, European, 235, 536.
Willet, Western, 40, 72, 537.
Willett, George, review of his 'Birds of the Pacific coast of southern California,' 548.
'Wilson Bulletin,' review of, 421.
Wilsonia canadensis, 23, 78, 373, 376, 476, 525.
citrina, 83, 249, 377, 476, 525.
pusilla pileolata, 254.
pusilla pusilla, 78, 525.
Wisconsin, birds of, 172, 238, 388, 397.
Witherby, H. F., see Hartert, E.
Wollaston, A. J. R., proposed Expedition to New Guinea, 573.
Wood, N. A., review of his 'Birds of the Charity Islands, Michigan,' 118.
Woodcock, 19, 42, 46, 72, 80, 469, 513.
Woodpecker, Alpine Three-toed, 400.
Arctic Three-toed, 76.
Ant-eating, 332.
Cactus, 383.
Downy, 76, 81, 324, 376, 471, 517.
Hairy, 20, 28, 81, 375, 471, 517.
Lewis's, 332, 400.
Newfoundland, 76.
Northern Pileated, 323, 471, 517.
Pileated, 81.
Red-bellied 31, 81, 517.
Red-headed, 20, 31, 472, 517, 541.
San Fernando, 383.
Southern Downy, 28.
White-breasted, 332, 383.
White-headed, 252.
Woodruff, Frank M., two interest-

ing captures in Lincoln Park, Chicago, 109.
Worcester, Dean C., review of his 'Newly Discovered Breeding Places of Philippine Birds,' and 'Hybridism among Boobies,' 267.
Worthington, W. W., *see* Todd, W. E. Clyde.
Wren, Andean Marsh, 143.
Bewick's, 84, 478, 525.
Cañon, 277, 335, 400.
Carolina, 30, 106, 107, 377, 525.
House, 84, 412, 476, 525.
Long-billed Marsh, 35, 526.
Rock, 335.
Short billed Marsh, 478, 526.
Texas Bewick's, 35.
Winter, 23, 37, 78, 324, 373, 375, 412, 526.
Wright, Horace W., a Crested Fly-catcher in December at Cambridge, Mass., 242–243; a Palm Warbler in winter at Boston, Mass., 247; morning awakening and even-song, 307–327; a Starling at Squantum, Mass., 394; review of his 'Birds of the Jefferson Region,' 411.
Wright, Albert Hazen, early records of the Carolina Paroquet, 343–363.
Wyman, L. E., White-throated Sparrow in Idaho, 247; Oreortyx in Idaho, 538.

XANTHOCEPHALUS xanthocephalus, 41, 103, 333.
Xema furcatum, 233–234.
sabini, 388.
Xenopicus albolarvatus, 252.

YELLOW-LEGS, 40, 76, 514.
Greater, 40, 73, 76, 514.
Yellow-throat, Maryland, 23, 78, 83, 321, 376, 476, 525.
Western, 34.

ZAMELODIA ludoviciana, 33, 373, 375, 478, 522.
Zenaidura macroura carolinensis, 19, 28, 80, 332, 376, 381, 469, 515.
macroura marginella, 381.
Zonotrichia albicollis, 22, 77, 247, 315, 521.
coronata, 333.
leucophyrs, 41.
leucophrys gambeli, 333, 400.
leucophrys leucophrys, 77, 204, 521.
querula, 36, 253.
'Zoologist,' review of, 271, 558.

ERRATA.

Page	30,	line 22,	for	**Sialia sialia** read **Sialia sialis**.
"	40,	" 26,	"	**Catophophorus** read **Catoptrophorus**.
"	76,	" 15,	"	**macularius** read **macularia**.
"	80,	" 14,	"	" " "
"	83,	" 42,	"	**polyglottus** read **polyglottos**.
"	112,	" 34,	"	**Tringites** read **Tryngites**.
"	135,	" 10,	"	*Onocratalus* read *Onocrotalus*.
"	182,	" 9,	"	*phrrhula* read *pyrrhula*.
"	238,	" 33,	"	*phasianellis* read *phasianellus*.
"	387,	" 3,	"	Henninger etc. read Grönberger, Auk, 1912, p. 109.
"	411,	" 7,	"	*falimellus* read *falcinellus*.
"	424,	" 20,	"	*griseiaceps* read *griseiceps*.
		" 23,	"	*ioniul* read *ioniae*.
		" 25,	"	*Barbater* read *Barbatula*.
		" 26,	"	*supæ* read *super*.
		" 31,	"	London read Loudon.

DATES OF ISSUE OF VOL. XXIX.

No. 1 — January 10. No. 2— April 5.

No. 3 — July 6.